

SPECIFICATION SHEET

V3.0



COVENANT PENDANT 2000

DESCRIPTION

Informed by the interlocking components of a snake's spine, *Covenant* is Lost Profile's contemporary take on a traditional glass chandelier.

MATERIALS

Brass, glass & aluminium

DIMENSIONS

Diameter: 2000mm (78.7")

Height: 144mm (5.7")

WEIGHT

75kg (165.3lbs)

LAMPING

LED strip

LED COLOUR TEMP

Warm White 3000k

2700k Available upon request

No upcharge

VOLTAGE/WATTAGE

12V DC @ 147W

LUMENS/CRI

11025lm @ 90+ CRI*

*From the source

DRIVER

12V 150W 0-10V DIMMABLE

STANDARD FINISHES

Blonde Brass, Aged Brass, Dark Bronze (these finishes are waxed)

CUSTOM SURFACE FINISHES

Brushed Nickel, Chrome plating (Add 20%)

Clear enamel & powder coated finishes available on request (Add 10%)

MAINTENANCE

All LOST PROFILE metal surfaces are waxed. These metal surfaces are designed to age and patinate. Wear gloves when handling to avoid hand prints.

CEILING CANOPY

Option 1 - Standard: x1 Hexagonal Flush canopy (Remote)

180 x 6mm (7.1 x 0.2in).

Option 2 - Vertical Wires: x1 Flush canopy + x3 Cable glider mounts (Remote)

Ø100 x 6mm (Ø3.9 x 0.2in).

Option 3 - Surface Canopy: x1 Round Surface canopy (Integral)

Ø350 x 70mm (Ø13.8 x 2.8in). Upcharge applies.

COVENANT 2000 is supplied with 4 x 2000mm (78.8") suspension wires and 2000mm (78.8") of clear 2-core power cable.

Please advise us if you require longer suspension wires & power cable.

INSTALLATION

Assembly required upon installing COVENANT as the glass is supplied separately to the internal substrate ring.

Allow 1 hour for installing the glass onto the ring. See installation guide for details.

DRIVERS & DIMMING


LOST PROFILE products are supplied with 0-10V dimmable LED drivers.

PHASE & DALI Dimmable drivers are available for some regions, upon request.

The location of the driver needs to be considered, whether in a ceiling cavity, in a wall cavity, or ideally in an accessible electrical cabinet.

PRICING & LEAD TIMES


Please contact us or your nearest LOST PROFILE representative for current pricing and lead times.



OPTION 1 (STANDARD)

Flush Canopy

Remote power supply



OPTION 2

Vertical wires

Remote power supply

No upcharge

OPTION 3

Surface Canopy

Integral power supply

Upcharge applies

LOST PROFILE - SPECIFICATION SHEET - **COVENANT 750**



Informed by the interlocking components of a snake's spine, *Covenant* is a contemporary take on a traditional glass chandelier.

LOST PROFILE - SPECIFICATION SHEET - COVENANT 750

PRODUCT	DIMENSIONS (mm)	WEIGHT (kg)	VOLTAGE (v)	WATTAGE (w)	DRIVER	LED COLOUR TEMP	SURFACE FINISHES
COVENANT 750 PENDANT	750 x 750 x 140	8kg	12VDC	45W	12V 90W 0-10V DIMMABLE	WARM WHITE 2700K	STD, CUSTOM
Clear enamel & powder coated finishes available on request <u>Standard (STD) surface finishes:</u> Blonde Brass, Aged Brass (pictured), Dark Bronze (these finishes are waxed) <u>Custom surface finishes:</u> Brushed Nickel, Chrome, Black Chrome plating (Add 20%)							

MATERIALS

Brass, glass, aluminium, LED.

MAINTENANCE

All LOST PROFILE metal surfaces are waxed. These metal surfaces are designed to age and patinate. Wear gloves when handling to avoid hand prints. Clear enamel coating is available on request.

SUSPENSION

COVENANT is supplied with 3 x 2000mm suspension wires and 2000mm of clear 2-core power cable. Please advise us if you require longer suspension wires & power cable. Vertical Wire Format suspension also available.

CEILING CANOPY

COVENANT is supplied with 1 x Hexagonal Flush canopy, 180 x 180mm as a standard. Vertical Wire Format is supplied with 1 x Round Flush canopy, 100mm diameter, and 2 x ceiling mounted cable gliders.

INSTALLATION



Assembly required upon installing COVENANT as the glass is supplied separately to the internal substrate ring. Allow 1 hour for installing the glass onto the ring. See installation guide for details.

DRIVERS & DIMMING

LOST PROFILE products are supplied with 0-10V dimmable LED drivers. The location of the driver needs to be considered, whether in a ceiling cavity, in a wall cavity, or ideally in an accessible electricals cabinet.

PRICING & LEAD TIMES

Please contact us or your nearest LOST PROFILE representative for current pricing and lead times.



LOST PROFILE - SPECIFICATION SHEET - **COVENANT 1000**

Informed by the interlocking components of a snake's spine, *Covenant* is a contemporary take on a traditional glass chandelier.



LOST PROFILE - SPECIFICATION SHEET - COVENANT 1000

PRODUCT	DIMENSIONS (mm)	WEIGHT (kg)	VOLTAGE (v)	WATTAGE (w)	DRIVER	LED COLOUR TEMP	SURFACE FINISHES
COVENANT 1000 PENDANT	1000 x 1000 x 140	15kg	12VDC	60W	12V 90W 0-10V DIMMABLE	WARM WHITE 2700K	STD, CUSTOM
Clear enamel & powder coated finishes available on request (Add 10%) <u>Standard (STD) surface finishes:</u> Blonde Brass, Aged Brass, Dark Bronze (these finishes are waxed) <u>Custom surface finishes:</u> Brushed Nickel, Chrome, Black Chrome plating (Add 20%)							

MATERIALS

Brass, glass, aluminium, LED.

MAINTENANCE

All LOST PROFILE metal surfaces are waxed. These metal surfaces are designed to age and patinate. Wear gloves when handling to avoid hand prints. Clear enamel coating is available on request.

SUSPENSION

COVENANT is supplied with 3 x 2000mm suspension wires and 2000mm of clear 2-core power cable.
Please advise us if you require longer suspension wires & power cable.
Vertical Wire Format suspension also available.

CEILING CANOPY

COVENANT is supplied with 1 x Hexagonal Flush canopy, 180 x 180mm as a standard.
Vertical Wire Format is supplied with 1 x Round Flush canopy, 100mm diameter, and 2 x ceiling mounted cable gliders.

INSTALLATION


Assembly required upon installing COVENANT as the glass is supplied separately to the internal substrate ring.
Allow 1 hour for installing the glass onto the ring. See installation guide for details.

DRIVERS & DIMMING

LOST PROFILE products are supplied with 0-10V dimmable LED drivers.
The location of the driver needs to be considered, whether in a ceiling cavity, in a wall cavity, or ideally in an accessible electricals cabinet.

PRICING & LEAD TIMES

Please contact us or your nearest LOST PROFILE representative for current pricing and lead times.



LOST PROFILE - SPECIFICATION SHEET - **COVENANT 1250**

Informed by the interlocking components of a snake's spine, *Covenant* is a contemporary take on a traditional glass chandelier.



LOST PROFILE - SPECIFICATION SHEET - COVENANT 1250

PRODUCT	DIMENSIONS (mm)	WEIGHT (kg)	VOLTAGE (v)	WATTAGE (w)	DRIVER	LED COLOUR TEMP	SURFACE FINISHES
COVENANT 1250 PENDANT	1250 x 1250 x 140	20kg	12VDC	90W	12V 120W 0-10V DIMMABLE	WARM WHITE 3000K	STD, CUSTOM
Clear enamel & powder coated finishes available on request (Add 10%) <u>Standard (STD) surface finishes:</u> Blonde Brass, Aged Brass, Dark Bronze (these finishes are waxed) <u>Custom surface finishes:</u> Brushed Nickel, Chrome, Black Chrome plating (Add 20%)							

MATERIALS

Brass, glass, aluminium, LED.

MAINTENANCE

All LOST PROFILE metal surfaces are waxed. These metal surfaces are designed to age and patinate. Wear gloves when handling to avoid hand prints. Clear enamel coating is available on request.

SUSPENSION

COVENANT is supplied with 3 x 2000mm suspension wires and 2000mm of clear 2-core power cable.
Please advise us if you require longer suspension wires & power cable.
Vertical Wire Format suspension is also available.

CEILING CANOPY

COVENANT is supplied with 1 x Hexagonal Flush canopy, 180 x 180mm as a standard.
Vertical Wire Format is supplied with 1 x Round Flush canopy, 100mm diameter, and 2 x ceiling mounted cable gliders.

INSTALLATION


Assembly required upon installing COVENANT as the glass is supplied separately to the internal substrate ring.
Allow 1 hour for installing the glass onto the ring. See installation guide for details.

DRIVERS & DIMMING

LOST PROFILE products are supplied with 0-10V dimmable LED drivers.
The location of the driver needs to be considered, whether in a ceiling cavity, in a wall cavity, or ideally in an accessible electricals cabinet.

PRICING & LEAD TIMES

Please contact us or your nearest LOST PROFILE representative for current pricing and lead times.



LOST PROFILE - SPECIFICATION SHEET - COVENANT 1500 PENDANT



Informed by the interlocking components of a snake's spine, *Covenant* is Lost Profile's contemporary take on a traditional glass chandelier.

LOST PROFILE - SPECIFICATION SHEET - COVENANT 1500 PENDANT

PRODUCT	DIMENSIONS (mm)	WEIGHT (kg)	VOLTAGE (v)	WATTAGE (w)	DRIVER	LED COLOUR TEMP	SURFACE FINISHES
COVENANT 1500 PENDANT	1500 x 1500 x 140	25kg	12VDC	90W	12V 100W 0-10V DIMMABLE	WARM WHITE 2700K	STD, CUSTOM
Clear enamel & powder coated finishes available on request (Add 10%) <u>Standard (STD) surface finishes:</u> Blonde Brass, Aged Brass, Dark Bronze (these finishes are waxed) <u>Custom surface finishes:</u> Brushed Nickel, Chrome, Black Chrome plating (Add 20%)							

MATERIALS

Brass, glass, aluminium, LED.

MAINTENANCE

All LOST PROFILE metal surfaces are waxed. These metal surfaces are designed to age and patinate. Wear gloves when handling to avoid hand prints. Clear enamel coating is available on request.

SUSPENSION

COVENANT is supplied with 3 x 2000mm suspension wires and 2000mm of clear 2-core power cable.
Please advise us if you require longer suspension wires & power cable.
Vertical Wire Format suspension also available.

CEILING CANOPY

COVENANT is supplied with 1 x Hexagonal Flush canopy, 180 x 180mm as a standard.
Vertical Wire Format is supplied with 1 x Round Flush canopy, 100mm diameter, and 2 x ceiling mounted cable gliders.

INSTALLATION


Assembly required upon installing COVENANT as the glass is supplied separately to the internal substrate ring.
Allow 1 hour for installing the glass onto the ring. See installation guide for details.

DRIVERS & DIMMING

LOST PROFILE products are supplied with 0-10V dimmable LED drivers.
The location of the driver needs to be considered, whether in a ceiling cavity, in a wall cavity, or ideally in an accessible electricals cabinet.

PRICING & LEAD TIMES

Please contact us or your nearest LOST PROFILE representative for current pricing and lead times.



LOST PROFILE - SPECIFICATION SHEET - COVENANT 1750 PENDANT



Informed by the interlocking components of a snake's spine, *Covenant* is Lost Profile's contemporary take on a traditional glass chandelier.

LOST PROFILE - SPECIFICATION SHEET - COVENANT 1750 PENDANT

PRODUCT	DIMENSIONS (mm)	WEIGHT (kg)	VOLTAGE (v)	WATTAGE (w)	DRIVER	LED COLOUR TEMP	SURFACE FINISHES
COVENANT 1750 PENDANT	1750 x 1750 x 140	30kg	12VDC	105W	12V 150W 0-10V DIMMABLE	WARM WHITE 3000K	STD, CUSTOM
Clear enamel & powder coated finishes available on request (Add 10%) <u>Standard (STD) surface finishes:</u> Blonde Brass, Aged Brass, Dark Bronze (these finishes are waxed) <u>Custom surface finishes:</u> Brushed Nickel, Chrome, Black Chrome plating (Add 20%)							

MATERIALS

Brass, glass, aluminium, LED.

MAINTENANCE

All LOST PROFILE metal surfaces are waxed. These metal surfaces are designed to age and patinate. Wear gloves when handling to avoid hand prints. Clear enamel coating is available on request.

SUSPENSION

COVENANT 1750 is supplied with 4 x 2000mm suspension wires and 2000mm of clear 2-core power cable. Please advise us if you require longer suspension wires & power cable. Vertical Wire Format suspension also available.

CEILING CANOPY

COVENANT 1750 is supplied with 1 x Hexagonal Flush canopy, 180 x 180mm as a standard. Vertical Wire Format is supplied with 1 x Round Flush canopy, 100mm diameter, and 3 x ceiling-mounted cable gliders.

INSTALLATION

Assembly required upon installing COVENANT as the glass is supplied separately to the internal substrate ring. Allow 1 hour for installing the glass onto the ring. See installation guide for details.

DRIVERS & DIMMING

LOST PROFILE products are supplied with 0-10V dimmable LED drivers. The location of the driver needs to be considered, whether in a ceiling cavity, in a wall cavity, or ideally in an accessible electricals cabinet.

PRICING & LEAD TIMES

Please contact us or your nearest LOST PROFILE representative for current pricing and lead times.

