ROSS GARDAM



Featuring solid brass bars paired with textured, tubular formed-glass elements, Volant is an elegant collection of statement luminaires. This delicate light creates an equilibrium between the different materials and offers a beautifully soft level of luminosity.





Volant's modular and architectural nature allow the fixture to span across a plethora of interior spaces. The solid brass bars are individually machined with the luminaire defined by a white glass diffuser which is pinned in-place to the solid brass bar. Textured tubular glass elements are balanced on the same pins creating a uniquely formed illumination.

2





LEFT & RIGHT - (VWI) FROSTED BLACK GLASS / BLACKENED BRASS / (VWI) CLEAR FLUTED / BRONZED BRASS







TOP LEFT / RIGHT - (VW2) FROSTED BLACK GLASS AND BRUSHED BRASS / (VW1) FROSTED FLUTED GLASS AND BRONZED BRASS BOTTOM LEFT / RIGHT - (VW1) FLUTED GLASS AND BRUSHED BRASS / (VW2) FROSTED FLUTED GLASS AND BLACKENED BRASS







VOLANT WALL LIGHT

VOLANT FEATURES SOLID BRASS BARS, PAIRED WITH TEXTURED, TUBULAR FORMED-GLASS ELEMENTS, CREATING A STATEMENT LUMINAIRE. THIS DELICATE LIGHT CREATES AN EQUILIBRIUM BETWEEN THE DIFFERENT MATERIALS AND OFFERS A BEAUTIFULLY SOFT LEVEL OF LUMINOSITY.





VW1 W 70 H 500 D 80 W 2.8" H 1'8" D 3.2" VW2 W 160 H 500 D 80 W 6.3" H 1'8" D 3.2"







IMAGE /

LEFT / VC324 - FROSTED BLACK / BRONZED BRASS RIGHT / VC324 - FROSTED FLUTED / BRONZED BRASS




IMAGE / (VC324) FROSTED BLACK GLASS / BLACKENED BRASS



IMAGE /


TOP LEFT / RIGHT - (VC211) FROSTED FLUTED GLASS AND BRUSHED BRASS / (VC212) FROSTED BLACK GLASS AND BLACKENED BRASS BOTTOM LEFT / RIGHT - (VC323) FROSTED FLUTED GLASS AND BLACKENED BRASS / (VC324) FLUTED GLASS AND BRUSHED BRASS







VOLANT 21 & 32 CHANDELIER

THE LINEAR CONFIGURATION OF THE VOLANT 21 AND 32 MAKES IT IDEAL FOR DINING AREAS, KITCHEN ISLANDS AND OTHER HORIZONTALLY-ORIENTED SPACES.






VC211 L 1790 W 70 H 100 L 5"10" W 3" H 4" MIN DROP HEIGHT - H 300 / 11.8" VC212 L1790 W70 H100 L5"10" W3" H4" MIN DROP HEIGHT - H300 / 11.8"



VC323 L 1790 W 1790 H 350 L 5'10" W 5'10" H 1'2" MIN DROP HEIGHT - H 550 / 1'1"



VC324 L 1790 W 1790 H 350 L 5″10" W 5″10" H 1′2" MIN DROP HEIGHT - H 550 / 1″1"









IMAGE /


TOP LEFT / RIGHT - (VC333S) FROSTED BLACK GLASS AND BRUSHED BRASS / (VC333S) FROSTED FLUTED GLASS AND BLACKENED BRASS MIDDLE LEFT / RIGHT - (VC333L) FLUTED GLASS AND BRONZED BRASS / (VC333L) FROSTED FLUTED GLASS AND BRUSHED BRASS

26




VOLANT 33 CHANDELIER


THE VOLANT 33 FEATURES TRIPLE ARRAYED BARS DESIGNED TO ENHANCE LARGER SPACES WITH ITS ARRANGEMENT OF THREE HORIZONTAL BARS.




VC333S L 1790 W 1570 H 600 L 5'10" W 5'2" H 2' MIN DROP HEIGHT - H 790 / 2'7"



VC333L L 1790 W 1570 H 1100 L 5'10" W 5'2" H 3'7" MIN DROP HEIGHT - H 1290 / 4'3"






ROSS GARDAM VOLANT COLLECTION






32


IMAGE /



VOLANT 55 & 66 CHANDELIER

THE LARGE FORMAT VOLANT 55 AND 66 FEATURES CIRCULAR ARRAYED BARS CREATED TO MAKE A DRAMATIC STATEMENT IN GRAND ENTRYWAYS, FOYERS AND EXPANSIVE VOIDS.





VC555 L 1790 W 1720 H 2090 L 5'10" W 5'8" H 6'10" MIN DROP HEIGHT - H 2290 / 7'6" VC666 L1790 W1790 H2580 L5'10" W5'10" H7'6" MIN DROP HEIGHT - H2780 / 9'1"



TECHNICAL VOLANT

AVAILABLE FINISHES

GLASS



FINISH

LAMPING











WEIGHT

PACKAGING





MATERIAL TREATED BRASS, GLASS

ALL BRASS FRAMES ARE BRUSHED AND TREATED TO ACHIEVE THE AVAILABLE FINISH OPTIONS, THEN WAXED

TO PREVENT ACCELERATED AGING.

SELV 60V (EXTERNAL DRIVER SUPPLIED)

VW1 - 5.3W, 775 LUMEN, 2700K VW2 - 7.8W. 1180 LUMEN, 2700K VC211 - 4.4W, 610-670 LUMEN, 2700K

VC212 - 8.8W, 1220-1340 LUMEN, 2700K VC323 - 13.2W, 1710-2100 LUMEN, 2700K VC324 - 16W, 2060-2360 LUMEN, 2700K VC333S - 13.2W, 1710-2100 LUMEN, 2700K VC333L - 13.2W, 1710-2100 LUMEN, 2700K VC555 - 22W, 3050-3550 LUMEN, 2700K

VC666 - 26.4W, 3660-4020 LUMEN, 2700K WATTAGE AND LUMEN OUTPUT WILL VARY SLIGHTLY DEPENDING ON CONSTANT CURRENT OUTPUT.

220-240V REGIONS DIMMING OPTIONS PHASE - DIMMING RANGE 5 - 100%

· DALI - DIMMING RANGE 1 - 100%

110-120V REGIONS DIMMING OPTIONS

· PHASE - DIMMING RANGE 3 - 100% · DALI - DIMMING RANGE 0.1 - 100%

ALL US AND CANADIAN ORDERS COME SUPPLIED WITH 120V COMPONENTRY CERTIFIED FOR USE IN THESE REGIONS.

FOR OPTIMAL DIMMING PERFORMANCE WE RECOMMEND SOURCING A DIMMER CAPABLE OF SETTING THE DIMMING RANGE OF THE FIXTURE.

TO ENSURE CORRECT COVERAGE OVER 4" JUNCTION MOUNTING BOXES AN ADDITIONAL 120MM X 250MM / 47" X 9 8" RECTANGULAR COVER PLATE IS SUPPLIED FOR US/ CAN REGIONS. MOUNTING HOLES DESIGNED TO SUIT

STANDARD 4" JUNCTION BOXES.

PRODUCT CODES SKU EG. VC323.G-FLU.BR-BRZ

VOLANT 323 CHANDELIER IN FLUTED CLEAR GLASS WITH A BRONZED BRASS FRAME

VW1.G-XXX.BR-XXX VOLANT SINGLE WALL LIGHT VW2 G-XXX BB-XXX VOLANT DOUBLE WALL LIGHT VC211.G-XXX.BR-XXX VOLANT 211 CHANDELIER VC212.G-XXX.BR-XXX VOLANT 212 CHANDELIER VC323.G-XXX.BR-XXX VOLANT 323 CHANDELIER VC324.G-XXX.BR-XXX VOLANT 324 CHANDELIER VC333S.G-XXX.BR-XXX VOLANT 333S CHANDELIER VC333L.G-XXX.BR-XXX VOLANT 333L CHANDELIER VC555.G-XXX.BR-XXX VOLANT 555 CHANDELIER VC666.G-XXX.BR-XXX VOLANT 666 CHANDELIER

BODY





FINISHES GLASS FROSTED BLACK (G-FBL) FLUTED (G-FLU)

FROSTED FLUTED (G-FFL) BRUSHED BRASS (BR-NAT) BLACKENED BRASS (BR-BLK) BRONZED BRASS (BR-BRZ)

LED LIFESPAN

IP20 - FOR INDOOR USE ONLY IP RATING

CERTIFICATION AS/NZS 60598.1, 60598.2.1 EN 60598.1, 60598.2.1

ETL/UL CERTIFICATION PENDING

CANOPY VARIOUS - SEE CANOPY OPTIONS ON SPECIFICATION PAGE

> VW1 2KG / 4.4LB 5KG / 11LB VW2 7.5KG / 16.5LB VC211 8.5KG / 19LB VC323 14.5KG / 32LB VC324 15.5KG / 34LB VC333S 19KG / 42LB 20KG / 44LB VC3331 35KG / 77LB VC555

VC666 VW1 L10CM W 60CM H10CM / L4" W 23'6" H 4" VW2 L20CM W60CM H10CM / L7'8" W23'6" H4" 1 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8" VC211 1 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8" VC212 2 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8" VC323

2 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8" 2 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8" VC333L 2 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8" VC555 2 X 16KG / 35LB, 1 X 9KG / 20LB, 1 X 3KG / 6.6LB VC666 3 X 16.5KG / 36.5LB, 1 X 3KG / 6.6LB

1 X 3 KG / 6.6 LB PACKAGING WEIGHT VW1

VW2 1 X 6KG / 13.2LB VC211 1 X 10.5KG / 23LB VC212 1 X 11.5KG / 25LB 1 X 13KG / 28.5LB, 1 X 7.5KG / 16.5LB VC323 VC324

1 X 13.5KG / 30LB, 1 X 8.5KG / 19LBV 1 X 16KG / 35LB, 1 X 9KG / 20LB VC333S 1X16.5KG / 36.5LB. 1X 9.5KG / 21LB VC3331 VC555 3 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8"

> 1 X L 50CM W 50CM H 25CM / L 1'8" W 1'8" H 10" 3 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8" 1 X L 50 CM W 50 CM H 25 CM / L 1'8" W 1'8" H 10"

38

39

