


VOLKER HAUG

UND MESSING series Data Sheet

Buckle



Material

Brass

Finishes

Brushed, Aged or Bronzed

Lamp Shell

Opal Acrylic

Weight

1.25 kg

US / Canada

Lamp: 12V LED PCB *
Specs: 2700K, 9W, 1200 lm
Dimming: Yes (via driver) **


AU / EU / UK

Lamp: 12V LED PCB *
Specs: 2700K, 9W, 1200 lm
Dimming: Yes (via driver) **

* 12V driver required
** Trailing Edge, DALI and 0/1-10V available



Plane



Material

Brass

Finishes

Brushed, Aged, Bronzed, Polished or Plated

Lamp Shell

ø 40 mm Frosted Glass

Weight

1.5 kg

US / Canada

Lamp: 12V LED PCB *
Lamp Specs: 2700K, 3W, 350 lm
Dimming: Yes (via driver) **


AU / EU / UK

Lamp: 12V LED PCB *
Lamp Specs: 2700K, 3W, 350 lm
Dimming: Yes (via driver) **

* 12V driver required
** Trailing Edge, DALI and 0/1-10V available



Wall Index



Material
Brass. Diffuser Brass or Fibreglass

Finishes
Brushed, Aged or Bronzed

Lamp Shell
ø 40 mm Frosted Glass

Weight
1.5 kg (brass and fibreglass), 5 kg (brass)


US / Canada
Lamp: 2x 12V LED PCB *
Lamp Specs: 2700K, 3W, 350 lm
Dimming: Yes (via driver) **

AU / EU / UK
Lamp: 2x 12V LED PCB *
Lamp Specs: 2700K, 3W, 350 lm
Dimming: Yes (via driver) **

* 12V driver required
** Trailing Edge, DALI and 0/1-10V available



Wall Thread



Material

Brass

Finishes

Brushed, Aged, Bronzed, Polished or Plated

Lamp Shell

ø 40 mm Frosted Glass

Weight

2.5 kg

US / Canada

Lamp: 3x 12V G4 LED *
Lamp Specs: 2700K, 2W, 200 lm
Dimming: Yes (via driver) **


AU / EU / UK

Lamp: 3x 12V G4 LED *
Lamp Specs: 2700K, 2W, 200 lm
Dimming: Yes (via driver) **

* 12V driver required
** Trailing Edge, DALI and 0/1-10V available



Wall Stitch



Material

Brass

Finishes

Brushed, Aged, Bronzed, Polished or Plated

Lamp Shell

ø 40 mm Opal Glass

Weight

1.1 kg


US / Canada

Lamp: 12V LED PCB *
Specs: 2700K, 13W, 1600 lm
Dimming: Yes (via driver) **


AU / EU / UK

Lamp: 12V LED PCB *
Specs: 2700K, 13W, 1600 lm
Dimming: Yes (via driver) **

* 12V driver required
** Trailing Edge, DALI and 0/1-10V available



Brace



Material

Brass. Diffuser Brass or Fibreglass

Finishes

Brushed, Aged, Bronzed, Polished or Plated

Lamp Shell

ø 28 mm Opal Glass

Weight

4.5 kg (Brass and Fibreglass), 7.5 kg (Brass)


US / Canada


Lamp: 12V LED PCB *
Specs: 2700K, 12W, 1200 lm
Dimming: Yes (via driver) **

AU / EU / UK

Lamp: 12V LED PCB *
Specs: 2700K, 12W, 1200 lm
Dimming: Yes (via driver) **

* 12V driver required
** Trailing Edge, DALI and 0/1-10V available





Material
Brass. Diffuser Brass or Fibreglass

Finishes
Brushed, Aged, Bronzed or Plated

Lamp Shell
ø 40 mm Frosted Glass

Weight
12 kg (Brass and Fibreglass), 30 kg (Brass)


US / Canada
Lamp: 11x 12V LED PCB *
Lamp Specs: 2700K, 3W, 350 lm
Dimming: Yes (via driver) **

AU / EU / UK
Lamp: 11x 12V LED PCB *
Lamp Specs: 2700K, 3W, 350 lm
Dimming: Yes (via driver) **

* 12V driver required
** Trailing Edge, DALI and 0/1-10V available



Half Buckle



Material
Brass

Finishes
Brushed, Aged, Bronzed

Lamp Shell
ø 30 mm Opal Acrylic


Weight
4 kg

US / Canada
Lamp: 24V LED Module
Specs: 2700K, 10W, 650 lm
Power: 120V (wall plug included)
Dimming: Yes (via push button)

AU / EU / UK
Lamp: 24V LED Module
Specs: 2700K, 10W, 650 lm
Power: 240V (wall plug included)
Dimming: Yes (via push button)



Loose Thread



Material

Brass

Finishes

Brushed, Aged, Bronzed

Lamp Shell

ø 40 mm Frosted Glass

Weight

2 kg

US / Canada

Lamp: 3x 12V G4 LED *
Lamp Specs: 2700K, 2W, 200 lm
Power: 120V (wall plug included)
Dimming: Yes (via push button)

AU / EU / UK

Lamp: 3x 12V G4 LED *
Lamp Specs: 2700K, 2W, 200 lm
Power: 240V (wall plug included)
Dimming: Yes (via push button)





Lamps included. Full product range in the Volker Haug Studio Catalogue. Please contact studio for additional information on custom lengths, arrangements and finishes.

Volker Haug Studio
2-12 St Phillip Street
Brunswick East
Melbourne VIC 3057 Australia

Phone +61 3 9387 1803
Email info@volkerhaug.com
www.volkerhaug.com